



PRODUCT CATALOGUE

SAUNA and STEAM



HELIOS

— SAUNA & STEAM EXPERT —

Trở thành thương hiệu tiên phong tại Việt Nam trong lĩnh vực Sauna & Wellness, kiến tạo những không gian chăm sóc sức khỏe đẳng cấp, bền vững và khác biệt.

KIẾN TẠO KHÔNG GIAN WELLNESS ĐẲNG CẤP

Trong nhịp sống hiện đại, chăm sóc sức khỏe không còn là một nhu cầu xa xỉ mà đã trở thành một phần thiết yếu của cuộc sống chất lượng cao.

HELIOS được thành lập với sứ mệnh mang những giải pháp Sauna & Wellness tiêu chuẩn quốc tế đến với các gia đình, khu nghỉ dưỡng, khách sạn và các dự án cao cấp tại Việt Nam.

Chúng tôi không đơn thuần cung cấp một phòng xông hơi.

Chúng tôi kiến tạo những không gian giúp con người tái tạo năng lượng, phục hồi sức khỏe và nâng cao chất lượng cuộc sống mỗi ngày.

Từ những phòng sauna gia đình tinh tế đến các tổ hợp wellness quy mô lớn, HELIOS luôn theo đuổi sự hoàn thiện trong từng chi tiết kỹ thuật, vật liệu và trải nghiệm sử dụng.

TÂM NHÌN

Trở thành thương hiệu tiên phong tại Việt Nam trong lĩnh vực Sauna & Wellness, kiến tạo những không gian chăm sóc sức khỏe đẳng cấp, bền vững và khác biệt.

SỨ MỆNH

Mang các giải pháp chăm sóc sức khỏe chuẩn quốc tế đến gần hơn với người Việt thông qua những công trình sauna, steam và wellness được thiết kế tối ưu, vận hành bền bỉ và mang giá trị lâu dài.

TRIẾT LÝ PHÁT TRIỂN

Wellness Is The New Luxury

Sự xa xỉ thực sự không nằm ở những vật liệu đắt tiền. Mà nằm ở khả năng chăm sóc sức khỏe, tái tạo năng lượng và tận hưởng cuộc sống mỗi ngày.

Đó chính là lý do HELIOS lựa chọn tập trung vào lĩnh vực Sauna & Wellness với mong muốn biến những không gian thư giãn thành một phần không thể thiếu trong kiến trúc hiện đại.

02 VỀ HELIOS SAUNA

GIÁ TRỊ CỐT LÕI

- **CHUYÊN SÂU**
Tập trung vào lĩnh vực Sauna & Wellness để tạo ra những giải pháp tối ưu nhất.
- **CHẤT LƯỢNG**
Lựa chọn vật liệu và thiết bị dựa trên độ bền, hiệu suất và trải nghiệm sử dụng.
- **SÁNG TẠO**
Luôn tìm kiếm những giải pháp thiết kế phù hợp với từng không gian và phong cách kiến trúc.
- **TẬN TÂM**
Đồng hành cùng khách hàng từ ý tưởng ban đầu đến quá trình vận hành lâu dài.
- **BỀN VỮNG**
Tạo ra những công trình có giá trị sử dụng lâu dài, tiết kiệm chi phí vận hành và thân thiện với môi trường.

ĐIỀU GÌ LÀM NÊN SỰ KHÁC BIỆT?

Chúng tôi không bán thiết bị — Chúng tôi cung cấp giải pháp hoàn chỉnh.

Chúng tôi không chỉ thi công — Chúng tôi đồng hành từ ý tưởng đến vận hành.

Chúng tôi không chạy theo số lượng — Chúng tôi tập trung vào chất lượng từng công trình.

Chúng tôi hiểu sauna — Từ vật liệu, thông gió, cách nhiệt đến trải nghiệm người dùng.

HELIOS TRONG NHỮNG CON SỐ

500+

Dự án hoàn thành

Cả nước

Tỉnh thành triển khai

500+

Khách hàng

50+

Đối tác kiến trúc

10+

Năm kinh nghiệm

HELIOS

THE WELLNESS SPACE MAKER

Không chỉ xây dựng phòng xông hơi.

Chúng tôi kiến tạo những không gian nơi sức khỏe, sự thư giãn và giá trị sống được nâng tầm.

THƯ NGỎ

"Wellness không chỉ là xu hướng — đó là cách sống mà mỗi gia đình xứng đáng được tận hưởng."

Xu hướng Wellness toàn cầu

Trên toàn thế giới, ngành Wellness đang tăng trưởng mạnh mẽ với giá trị thị trường vượt hàng tỷ USD. Phòng xông hơi tại nhà không còn là xa xỉ phẩm mà đã trở thành nhu cầu thiết yếu của những gia đình hiện đại, nơi sức khỏe và chất lượng sống được đặt lên hàng đầu.

Giá trị của Sauna trong cuộc sống hiện đại

Xông hơi mang lại những lợi ích khoa học đã được chứng minh: cải thiện tuần hoàn máu, giảm stress, thải độc tố, tăng cường miễn dịch và nâng cao chất lượng giấc ngủ. Một phòng xông hơi tại nhà là khoản đầu tư cho sức khỏe cả gia đình, mỗi ngày, ngay trong không gian riêng tư và tiện nghi nhất.

Tầm nhìn của Helios

Helios Sauna ra đời với sứ mệnh đưa trải nghiệm spa đẳng cấp vào từng ngôi nhà Việt. Chúng tôi không đơn thuần cung cấp thiết bị — chúng tôi kiến tạo giải pháp xông hơi toàn diện, từ tư vấn chuyên sâu, thiết kế 3D phù hợp không gian, sản xuất theo tiêu chuẩn châu Âu đến lắp đặt và bảo trì trọn đời. Mỗi công trình của Helios là một cam kết về chất lượng, sự minh bạch và trách nhiệm lâu dài với khách hàng.

Ban lãnh đạo Helios Sauna

Đồng hành cùng sức khỏe gia đình Việt

SƠ ĐỒ TỔ CHỨC

BAN QUẢN TRỊ

GIÁM ĐỐC

Phòng
Bán hàng

Phòng
Thiết kế

Phòng
Kế toán- nhập
khẩu

Bộ phận
Sản xuất

Bộ phận
Thi công

Bộ phận
Bảo trì & Bảo hành



NĂNG LỰC TỔNG THỂ

Quy trình khép kín từ tư vấn đến bàn giao công trình

NĂNG LỰC TƯ VẤN

- Khảo sát hiện trạng công trình
- Tư vấn giải pháp kỹ thuật
- Tối ưu chi phí đầu tư
- Đề xuất vật liệu phù hợp
- Lập phương án thiết kế, an toàn

NĂNG LỰC THIẾT KẾ

- Bản vẽ mặt bằng 2D
- Phối cảnh 3D thực tế
- Bản vẽ Shopdrawing thi công
- Thiết kế hệ thống điện, nước
- Bản vẽ chi tiết kết cấu


NĂNG LỰC SẢN XUẤT

- Xưởng SX 1000m2 tại Đông Anh
- Máy gia công gỗ tự nhiên
- Quy trình QC 3 bước
- Gia công theo kích thước riêng
- Kiểm tra độ ẩm gỗ trước Sản xuất

NĂNG LỰC THI CÔNG

- Đội ngũ 10+ thợ chuyên sauna
- Quy trình lắp đặt chuẩn hóa
- Kiểm soát chất lượng từng hạng mục
- Nghiệm thu theo checklist
- Bảo hành tối thiểu 36 tháng toàn diện

QUY TRÌNH TRIỂN KHAI




Mỗi dự án được triển khai theo quy trình chuẩn hóa, đảm bảo tiến độ ổn định và chất lượng hoàn thiện nhất quán.

TỔNG HỢP NĂNG LỰC SẢN XUẤT

Xưởng sản xuất 1000m² tại Đông Anh, Hà Nội



Thiết bị gia công



Kho gỗ



Kho máy Sawo

Kho gỗ



DỰ ÁN ĐIỂN HÌNH ĐÃ TRIỂN KHAI

Những công trình tiêu biểu của Helios Sauna

KHÁCH SẠN 5* HOÀNG NHÂM



Tên dự án: Khách sạn 5 * Hoàng Nhâm

Địa điểm: Thành Phố Lai Châu

Diện tích:



[Diện tích m2]

Hạng mục:

Sauna khô + Steam+ Bể Bơi

Thời gian:

[2018]



TỔ HỢP JIMJILBANG NEW PHƯƠNG ANH

**Tên dự án:**

NEW PHƯƠNG ANH SPA

Địa điểm:

TẦNG 6 KHÁCH SẠN PHƯƠNG ANH NHƯ
QUỲNH HƯNG YÊN

Diện tích:

1500 M2

Hạng mục:

Hoàn thiện khu xông hơi Jimjilbang

Đầu tư:

07 tỷ VND

Thời gian thực hiện

Năm 2022



DỰ ÁN KHÁCH SẠN 5*Fraser Residence Hà Nội



Tên dự án:

Khu SPA

Địa điểm:

C5 Phố Đỗ Nhuận, Phường Xuân Đình,
Quận Bắc Từ Liêm, Hà Nội.

Hạng mục:

Hoàn thiện khu xông hơi khô ướt

Đầu tư:

800 tr VND

Thời gian thực hiện

Năm 2022



DỰ ÁN KHÁCH SẠN 5*SHILLA DAEWOO B3CC1 Hà Nội



Địa điểm:

6 Đ. Hoàng Minh Thảo, Khu đô thị Tây Hồ Tây, Xuân Đỉnh, Hà Nội

Hạng mục:


Hoàn thiện phòng xông khô khu nam và nữ

Đầu tư:

800 tr VND

Thời gian thực hiện

Năm 2025



TÀU DU LỊCH 5*



Địa điểm:

NAM ĐỊNH

Hạng mục:

Hoàn thiện khu xông hơi tắm sục

Đầu tư:

250 tr VND

Thời gian thực hiện

Năm 2026



DỰ ÁN RIÊNG LẺ ĐIỂN HÌNH



NHÀ DÂN 02



GIẢI PHÁP TOÀN DIỆN

Các sản phẩm của Helios

Sauna Khô | Steam Room | Infrared Sauna | Wellness Home

WELLNESS HOME

Tổ Hợp Chăm Sóc Sức Khỏe Tại Gia

Giải pháp toàn diện kết hợp nhiều hình thức trị liệu trong cùng một không gian, mang đến trải nghiệm wellness hoàn chỉnh ngay tại nhà.



Kết hợp Nóng - Lạnh - Ướt - Khô để tối ưu hiệu quả trị liệu



SAUNA ROOM

Traditional Dry Sauna

Phòng xông hơi khô sử dụng nhiệt từ máy xông Sawo chính hãng, nhiệt độ 70-100°C, tạo môi trường khô nóng giúp cơ thể đổ mồ hôi sâu, thải độc hiệu quả.

LỢI ÍCH

- Thải độc qua tuyến mồ hôi
- Giảm đau cơ, thư giãn khớp
- Cải thiện tuần hoàn máu
- Tăng cường hệ miễn dịch
- Giảm stress, cải thiện giấc ngủ

ĐỐI TƯỢNG PHÙ HỢP

- Gia đình có nhu cầu chăm sóc sức khỏe
- Biệt thự, penthouse cao cấp
- Khách sạn, resort, spa
- Phòng gym, trung tâm wellness

Nhiệt độ: 70-100°C | Độ ẩm: 10-20%

Thời gian xông: 15-20 phút/lần

Thiết bị: Máy xông Sawo (Phần Lan)

CÔNG NGHỆ & VẬT LIỆU

Vật Liệu Gỗ Cao Cấp

Lựa chọn gỗ phù hợp quyết định 70% chất lượng phòng sauna



HEMLOCK

Gỗ Hemlock Canada

Gỗ Hemlock nhập khẩu từ Canada, thuộc họ Thông. Màu trắng kem tự nhiên, vân gỗ mịn đều. Không tiết nhựa ở nhiệt độ cao, dẫn nhiệt thấp, an toàn khi tiếp xúc da. Độ bền vượt trội trong môi trường khô nóng.

Xuất xứ: Canada

Nhiệt độ chịu: 120°C

Độ bền: 15-20 năm

Ứng dụng: Sauna khô cao cấp



RED CEDAR

Gỗ Tuyết Tùng Đỏ

Gỗ Tuyết Tùng Đỏ (Western Red Cedar) nhập từ CANADA. Chứa tinh dầu tự nhiên có tính kháng khuẩn, chống mối mọt. Hương thơm dịu nhẹ khi gặp nhiệt. Chịu ẩm xuất sắc, phù hợp cả sauna khô và steam.

Xuất xứ: Canada

Nhiệt độ chịu: 110°C

Độ bền: 20-25 năm

Ứng dụng: Sauna & Steam



GỖ THÔNG TRẮNG

Gỗ thông Phần Lan xử lý nhiệt ở 200°C trong môi trường hơi nước, loại bỏ hoàn toàn nhựa và độ ẩm. Ổn định kích thước tuyệt đối, không cong vênh. Màu nâu chocolate sang trọng, bền bỉ nhất trong các loại gỗ sauna.

Xuất xứ: Phần Lan- Thụy Điển

Nhiệt độ chịu: 130°C

Độ bền: 10-15 năm

Ứng dụng: Mọi loại sauna




THIẾT BỊ SAWO

Máy xông hơi chính hãng Sawo - Finland


Nordex S

Nordex S is an updated version of Nordex Floor with slimmer design to allow for easier heater placement for different layouts.

Technical DATA




Nordex S



Minimum Safety Distances

- » Power range: 6,0 – 9,0kW
- » Available controls: Saunova/Innova (NS)
- » Adjustable legs



Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	CONTROL	MINIMUM SAFETY DISTANCES			
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C	D
NRNS-60NS-Z-C	6,0	5	9	270	395	710	18 - 25	separate	50	50	5	1900
NRNS-60NS-BL-Z-C	6,0	5	9	270	395	710	18 - 25	separate	50	50	5	1900
NRNS-80NS-Z-C	8,0	7	13	270	395	710	18 - 25	separate	80	80	5	1900
NRNS-80NS-BL-Z-C	8,0	7	13	270	395	710	18 - 25	separate	80	80	5	1900
NRNS-90NS-Z-C	9,0	8	14	270	395	710	18 - 25	separate	80	80	5	1900
NRNS-90NS-BL-Z-C	9,0	8	14	270	395	710	18 - 25	separate	80	80	5	1900



Nordex S
(NS)



Nordex S Black
(NS)

Aries

Round

Aries Round là thiết kế bắt mắt, tỏa nhiệt delivers consistent heat from top to bottom. It can be placed perfectly in the middle of the sauna or embedded into the benches.



Technical DATA



Aries Round
(Ni2)



Aries Round Black
(Ni2)

Saunova (Ni2)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES	
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B
ARI3-45Ni2-P-C ARI3-45Ni2-BL-P-C	4,5	3	6	300	300	930	60	Saunova	100	1900
ARI3-60Ni2-P-C ARI3-60Ni2-BL-P-C	6,0	5	9	300	300	930	60	Saunova	100	1900
ARI3-75Ni2-P-C ARI3-75Ni2-BL-P-C	7,5	7	12	300	300	930	60	Saunova	100	1900
ARI3-90Ni2-P-C ARI3-90Ni2-BL-P-C	9,0	8	13	300	300	930	60	Saunova	100	1900



Aries Round
(NS)



Aries Round Black
(NS)

Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES	
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B
ARI3-45NS-P-C ARI3-45NS-BL-P-C	4,5	3	6	300	300	930	60	separate	100	1900
ARI3-60NS-P-C ARI3-60NS-BL-P-C	6,0	5	9	300	300	930	60	separate	100	1900
ARI3-75NS-P-C ARI3-75NS-BL-P-C	7,5	7	12	300	300	930	60	separate	100	1900
ARI3-90NS-P-C ARI3-90NS-BL-P-C	9,0	8	14	300	300	930	110	separate	100	1900
ARI6-90NS-P-C ARI6-90NS-BL-P-C	9,0	8	14	440	440	930	110	separate	100	1900
ARI6-105NS-P ARI6-105NS-BL-P	10,5	9	15	440	440	930	110	separate	100	1900
ARI6-120NS-P ARI6-120NS-BL-P	12,0	10	18	440	440	930	110	separate	100	2100
ARI6-150NS-P ARI6-150NS-BL-P	15,0	13	23	440	440	930	110	separate	100	2100
ARI6-180NS-P ARI6-180NS-BL-P	18,0	15	26	440	440	930		separate	125	2100




Aries Round
(NB)



Aries Round Black
(NB)


Built-in (NB)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES	
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B
ARI3-45NB-P-C ARI3-45NB-BL-P-C	4,5	3	6	300	300	930	60	built-in	100	1900
ARI3-60NB-P-C ARI3-60NB-BL-P-C	6,0	5	9	300	300	930	60	(8+4h) built-in	100	1900
ARI3-75NB-P-C ARI3-75NB-BL-P-C	7,5	7	12	300	300	930	60	in (8+4h)	100	1900
ARI3-90NB-P-C ARI3-90NB-BL-P-C	9,0	8	14	300	300	930	110	built-in	100	1900
ARI6-90NB-P-C ARI6-90NB-BL-P-C	9,0	8	14	440	440	930		(8+4h) built-in	100	1900



Minimum Safety Distances

Heater Accessories (Optional)



Stainless
(for ARI3)



Stainless



Wooden
Cedar (D) and Aspen (A)



Soapstone

MODEL	SIZE OF COLLAR LENGTH WIDTH HEIGHT (mm)		
TH-COLLAR-V2-ST4	420	420	105

MODEL	SIZE OF COLLAR LENGTH WIDTH HEIGHT (mm)		
TH-COLLAR-ST4	540	540	45
TH-COLLAR-ST6	640	640	45

MODEL	SIZE OF COLLAR LENGTH WIDTH HEIGHT (mm)		
TH-COLLAR-W4-D A	485	485	45
TH-COLLAR-W6-D A	540	540	45

MODEL	SIZE OF COLLAR LENGTH WIDTH HEIGHT (mm)		
TH-COLLAR-S4	560	560	45
TH-COLLAR-S6	620	620	45

Heater Guards for Round



Wooden
Cedar (D) and Aspen (A)


MODEL	SIZE OF GUARD RAIL WIDTH DEPTH HEIGHT (mm)		
ARI-GUARD-W3-D A	570	570	110
ARI-GUARD-W6-D A	700	700	110

MODEL
ARI3
ARI6

Cubos

Cubos is the ultimate 3-in-1 heater – it can be placed either in the middle, corner or wall of the sauna room. The additional protective cover* allows for wall and/or corner installation. This modern and versatile heater is truly one of a kind.

*sold separately



Saunova 2.0 Operated
(Ni2)




Separate
(NS)



Built-in Control
(NB)

Middle
Installation



Wall Installation
with Protective Cover



Corner Installation
with Protective Cover

Cubos


- » Powerrange: 4,5 – 9,0kW
- » Available controls: Saunova (Ni2), Saunova/Innova (NS), Built-in (NB)
- » Casing: Stainless steel
- » Built-in stone spacer
- » Adjustable legs
- » Optional heater guard and integration collar



Protective Cover Accessory


Wall Installation

The protective cover allows the heater to be installed against the wall, if the sauna is limited in space. The protective cover set for wall installation includes a covering sheet and a reflector that directs heat even to the lowest parts of the sauna room, ensuring that it heats up entirely.



Wall Installation
with Protective Cover

MODEL	SIZE OF COVER		
	LENGTH	WIDTH	HEIGHT
CUB-PROCOV-WL	25	285	645



Corner Installation
with Protective Cover

Corner Installation

Cubos quickly changes to corner model with a protective cover for corner. Corner installation saves space and allows for different bench designs. The protective cover for corner set includes two pieces of covering sheet and a reflector.

MODEL	SIZE OF COVER		
	LENGTH	WIDTH	HEIGHT
CUB-PROCOV-CNR	285	285	645

Sauna HEATERS

FLOOR Series

Our Floor series features movable, sleek, and durable high-performance standalone heaters that ensure optimal heat distribution and comfort. Due to having more heater placement options, the heaters allow for a more customized look of the sauna room.



Savonia


Savonia models are designed to withstand extreme heat with the least amount of time spent on overall care and maintenance. They can also handle a large amount of stones for a smoother, lower temperature sauna experience.

The heaters come in two versions, regular and cool-to-touch fiber coating. Both versions have adjustable legs that keep the heater level on the floor.


- » Power range: 9,0 – 24,0kW
- » Available controls: Saunova/Innova (NS)
- » Adjustable legs



Technical DATA



Savonia



Minimum Safety Distances



Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES 50 - 60	CONTROL	MINIMUM SAFETY DISTANCES			
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C	D
SAV-90NS-Z SAV-90NS-P-F9,0	8	14	440	420	655	50 - 60	separate	1200	110	50	1900	
SAV-105NS- Z SAV-105NS-P-F10,5	9	15	440	420	655	50 - 60	separate	1200	120	60	1900	
SAV-120NS- Z SAV-120NS-P-F12,0	10	18	440	420	655	60 - 75	separate	1400	130	70	2100	
SAV-150NS- Z SAV-150NS-P-F15,0	13	23	590	420	655	60 - 75	separate	1400	160	100	2100	
SAV-180NS- Z SAV-180NS-P-F18,0	17	29	590	420	655	80 - 100	separate	1400	160	100	2100	
SAV-180NS-V1 2 - Z SAV-180NS-V12-P-F18,0	18	30	740	420	655	80 - 100	separate	1400	160	100	2100	
P-F18,0 SAV-210NS-V1 2 - Z SAV-210NS-V12-P-F21,0	22	35	740	420	655	80 - 100	separate	1400	160	100	2100	
SAV-240NS-V1 2 - Z SAV-240NS-V12-P-F24,0	26	42	740	420	655		separate	1400	160	100	2100	

Z | SAV-240NS-V12-P-F24,0


Savonia
(NS)


Savonia Fiber Coated
(NS)




Sauna HEATERS

WALL-Mounted Series


SAWO Wall-mounted heaters are all about strong performance in a compact size. For added safety, most of our wall-mounted heaters are available with cool-to-touch fiber coating to help prevent accidental burns.




Mini



Minimum Safety Distances




Mini X



Minimum Safety Distances



Mini Combi



Minimum Safety Distances

Built-in (NB)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	CONTROL	MINIMUM SAFETY DISTANCES				
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C	D	E
MN-23NB-Z MN-23NB-P-F	2,3	1,3	2,5	*215	435	**455	11	built-in (8+4h)	100	20	100	140	155
MN-30NB-Z MN-30NB-P-F	3,0	2	4	*215	435	**455	11	built-in (8+4h)	100	20	100	140	155
MN-36NB-Z MN-36NB-P-F	3,6	3	6	*215	435	**455	11	built-in (8+4h)	100	20	100	140	155

*Depth when installed to the wall.
**Reflector not included.

Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	CONTROL	MINIMUM SAFETY DISTANCES		
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C
MX-23NS-Z MX-23NS-P-F	2,3	1,3	2,5	*310	330	485	8 - 11	separate	30	20	60
MX-30NS-Z MX-30NS-P-F	3,0	2	4	*310	330	485	8 - 11	separate	35	25	65
MX-36NS-Z MX-36NS-P-F	3,6	3	6	*310	330	485	8 - 11	separate	40	25	65

Built-in (NB)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	CONTROL	MINIMUM SAFETY DISTANCES		
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C
MX-23NB-Z MX-23NB-P-F	2,3	1,3	2,5	*310	330	485	8 - 11	built-in (8+4h)	30	20	60
MX-30NB-Z MX-30NB-P-F	3,0	2	4	*310	330	485	8 - 11	built-in (8+4h)	35	25	65
MX-36NB-Z MX-36NB-P-F	3,6	3	6	*310	330	485	8 - 11	built-in (8+4h)	40	25	65

*Wall mounted/corner mounted.

Saunova/Innova (NS)

HEATER MODEL	kW	HEATER	SAUNA ROOM	SIZE OF HEATER			STONES	CONTROL
			MIN	LENGTH	WIDTH	HEIGHT		
MNC-30NS-Z	3,0	1 x 1,0	2	*330	260	*500	8 - 10,5	separate
MNC-30NS-P-F	3,6	1 x 1,0	2	*330	260	*500	8 - 10,5	separate
MNC-36NS-Z	3,6	1 x 1,0	3	*330	260	*500	8 - 10,5	separate
MNC-36NS-P-F	3,6	1 x 1,0	3	*330	260	*500	8 - 10,5	separate


*Depth when installed to the wall.
**Reflector not included.

Scandia

Scandia is a staple classic among sauna heaters. This simple heater gives the traditional Finnish sauna experience. It is available with cool-to-touch fiber coating, and compatible with Saunova or Innova controls (NS), or Innova controls (NS).

» Power range: 4,5 – 9,0kW
 » Available controls: Saunova/Innova (NS), Built-in (NB)

Technical DATA



Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	CONTROL	MINIMUM SAFETY DISTANCES			
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C	D
SCA-45NS-Z-C SCA-45NS-P-F-C					410	**515	18 - 22					
SCA-60NS-Z-C SCA-60NS-P-F-C	4,5	3	6	*290	410	**515	19 - 23	separate	100	100	185	155
SCA-80NS-Z-C SCA-80NS-P-F-C	6,0	5	9	*290	410	**515	19 - 23	separate	100	100	185	155
SCA-90NS-Z-C SCA-90NS-P-F-C	8,0	7	13	*290	410	**585		separate	100	100	185	235
	9,0	8	14	*290	410	**585		separate	100	100	185	235

Built-in (NB)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	CONTROL	MINIMUM SAFETY DISTANCES			
		MIN	MAX	LENGTH	WIDTH	HEIGHT			A	B	C	D
SCA-45NB-Z-C SCA-45NB-P-F-C					515	**515	18 - 22					
SCA-60NB-Z-C SCA-60NB-P-F-C	4,5	3	6	*290	515	**515	19 - 23	built-in (8+4h)	100	100	185	155
SCA-80NB-Z-C SCA-80NB-P-F-C	6,0	5	9	*290	515	**515	19 - 23	built-in (8+4h)	100	100	185	155
SCA-90NB-Z-C SCA-90NB-P-F-C	8,0	7	13	*290	515	**585		built-in (8+4h)	100	100	185	235
	9,0	8	14	*290	515	**585		built-in (8+4h)	100	100	185	235

*Depth when installed to the wall.

**Reflector not included.

Krios

Krios provides a larger stone container for higher and more humid heat. It also features the signature SAWO pattern in a stainless steel casing. The Krios heater is compatible with Saunova (Ni2, NS), and Innova (NS) controls.

- » Power range: 4,5 – 9,0kW
- » Available controls: Saunova (Ni2), Saunova/Innova (NS), Built-in (NB)
- » Wall mounted
- » Casing: Stainless steel
- » Heat reflector included
- » Built-in control unit can be attached to the left, right, or front of the heater
- » Can fit 50kg of stones



Krios
(Ni2)



Krios
(NS)



Krios
(NB)



Heater Accessories (Optional)


Krios Heater Guards




Wooden
Cedar (D) and Aspen (A)

MODEL	SIZE OF GUARD RAIL LENGTH WIDTH HEIGHT (mm)		
KRI-GUARD-W-D	385	620	90
KRI-GUARD-W-A	385	620	90

Technical DATA



Krios



Minimum Safety Distances

Saunova (Ni2)

HEATER MODEL	kW	SAUNA ROOM MIN MAX (m²)		SIZE OF HEATER LENGTH WIDTH HEIGHT (mm)			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
									A	B	C
KRI-45Ni2-P-C	4,5	3	6	*290	390	**600	40	Saunova 2.0	50	75	345
KRI-60Ni2-P-C	6,0	5	8	*290	390	**600	50	Saunova 2.0	80	105	345
KRI-80Ni2-P-C	8,0	7	13	*290	390	**670	50	Saunova 2.0	100	125	415
KRI-90Ni2-P-C	9,0	8	14	*290	390	**670		Saunova 2.0	100	125	415

Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM MIN MAX (m²)		SIZE OF HEATER LENGTH WIDTH HEIGHT (mm)			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
									A	B	C
KRI-45NS-P-C	4,5	3	6	*290	390	**580	40	Innova	50	75	320
KRI-60NS-P-C	6,0	5	8	*290	390	**580	50	Innova	80	105	320
KRI-80NS-P-C	8,0	7	13	*290	390	**650	50	Innova	100	125	390
KRI-90NS-P-C	9,0	8	14	*290	390	**650		Innova	100	125	390

Built-in (NB)

HEATER MODEL	kW	SAUNA ROOM MIN MAX (m²)		SIZE OF HEATER LENGTH WIDTH HEIGHT (mm)			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
									A	B	C
KRI-45NB-P-C	4,5	3	6	*290	390	**580	40	Built-in	50	75	320
KRI-60NB-P-C	6,0	5	8	*290	390	**580	50	Built-in	80	105	320
KRI-80NB-P-C	8,0	7	13	*290	390	**650	50	Built-in	100	125	390
KRI-90NB-P-C	9,0	8	14	*290	390	**650		Built-in	100	125	390

*Depth when installed to the wall.

**Height with reflector.



Sauna HEATERS

STONE Series


Made of Finnish soapstone, the SAWO Stone Heaters have exceptional heat-storing and conducting properties. Their gentle heat provides a consistent and long-lasting sauna experience.



Technical DATA



Cumulus



Minimum Safety Distances

Cumulus

Cumulus is an elegant wall-mounted with decorative Finnish soapstone front. Add aromatherapy to the sauna by using the aroma cups provided in the top of the heater.

- » Power range: 4,5 – 9,0kW
- » Available controls: Saunova (Ni2), Saunova/Innova (NS), Built-in (NB)
- » Built-in aroma cups



Cumulus
(Ni2)

Cumulus
(NS)

Cumulus
(NB)

Saunova (Ni2)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	SOAPSTONES	CONTROL	MINIMUM SAFETY DISTANCES				
		MIN	MAX	LENGTH	WIDTH	HEIGHT				A	B	C	D	E
CML-45Ni2-P-C	4,5	3	6	*300	420	500	18	22	Saunova	50	130	245	20	50
CML-60Ni2-P-C	6,0	5	9	*300	420	500	18	22	Saunova	50	130	245	20	50
CML-80Ni2-P-C	8,0	7	13	*300	420	590	18	22	Saunova	60	140	330	30	60
CML-90Ni2-P-C	9,0	8	14	*300	420	590	18	22	Saunova	60	140	330	30	60

Saunova/Innova (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	SOAPSTONES	CONTROL	MINIMUM SAFETY DISTANCES				
		MIN	MAX	LENGTH	WIDTH	HEIGHT				A	B	C	D	E
CML-45NS-P-C	4,5	3	6	*300	420	500	18	22	separate	50	130	245	20	50
CML-60NS-P-C	6,0	5	9	*300	420	500	18	22	separate	50	130	245	20	50
CML-80NS-P-C	8,0	7	13	*300	420	590	18	22	separate	60	140	330	30	60
CML-90NS-P-C	9,0	8	14	*300	420	590	18	22	separate	60	140	330	30	60

Built-in (NB)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES	SOAPSTONES	CONTROL	MINIMUM SAFETY DISTANCES				
		MIN	MAX	LENGTH	WIDTH	HEIGHT				A	B	C	D	E
		(m²)		(mm)				(KG)						
CML-45NB-P-C	4,5	3	6	420	500	18	22		built-in (8+4h)	50	130	245	20	50
CML-60NB-P-C	6,0	5	9	420	500	18	22		built-in (8+4h)	50	130	245	20	50
CML-80NB-P-C	8,0	7	13	420	590	18	22		built-in (8+4h)	60	140	330	30	60
CML-90NB-P-C	9,0	8	14	420	590	18	22		built-in (8+4h)	60	140	330	30	60

*Depth when installed to the wall.

PHỤ KIÊN

Our outstanding collection of sauna accessories from ladle to pails and complete accessory sets complements any sauna design.



Traditional

The choice with a clean, timeless, and traditional finish. It delivers all the essential tools for everyday sauna use.

code: SET-TRAD

SET INCLUDES: Wooden Pail Traditional 4L Cedar, Wooden Ladle Standard Cedar (36cm), Wooden Thermometer Cut Corner Square Cedar, Wooden Sandtimer Basic 45x300mm Cedar, Sauna Signage Cedar, and Sauna Guidelines Cedar

codes: 340-BD, 430-D, 220-TD, 552-BD, 950-D, and 955-D



Essential

The **Essential set** takes comfort and style to the next level, offering a wider collection of sauna items to enjoy.

code: SET-ESS

SET INCLUDES: Wooden Pail 4L Western Red Cedar, Wooden Ladle Western Red Cedar (36cm), Wooden Thermohygrometer Western Red Cedar, Wooden Sandtimer Western Red Cedar, Aroma Cup, Aroma Oil Eucalyptus Scent (250ml), Sauna Signage Cedar, and Sauna Guidelines Cedar

codes: 340-D, 430-D, 221-THD, 553-D, R-100, ARO-EUCA250, 950-D, and 955-D





Signature

The distinguished **Signature set** is for those seeking an elegant and sophisticated sauna experience.

code: SET-SIG-BL

SET INCLUDES: Wooden Pail Kanto 4L Black, Wooden Ladle Puro (51cm) Black, Thermo-Hygrometer Square Black, Wooden Sandtimer Black, Wooden Pillow Wave Black, Aroma Cup, Aroma Oil Eucalyptus Scent (250ml), Sauna Signage Black, and Sauna Guidelines Cedar

codes: 347-BL, 459-BL, 225-THBL, 554-BL, 515-BL, R-100, ARO-EUCA250, 950-BL, and 955-D

code: SET-SIG-D

SET INCLUDES: Wooden Pail Kanto 4L Cedar, Wooden Ladle Puro (51cm) Cedar, Thermo-Hygrometer Square Cedar, Wooden Sandtimer Cedar, Wooden Pillow Wave Cedar, Aroma Cup, Aroma Oil Eucalyptus Scent (250ml), Sauna Signage Cedar, and Sauna Guidelines Cedar

codes: 347-D, 459-D, 225-THD, 554-D, 515-D, R-100, ARO-EUCA250, 950-D, and 955-D



Dragon

With unparalleled style and innovation, the **Dragon set** offers a unique, bold look with added flair. This set is part of the Dragonfire Series, designed by renowned Finnish designer *Stefan Lindfors*.

code: SET-DRAGON

SET INCLUDES: Dragon Pail 4L Cedar, Wooden Ladle Dragon Cedar, Thermo-Hygrometer Square Cedar, Wooden Sandtimer Cedar, Wooden Pillow Wave Cedar, Aroma Cup, Aroma Oil Eucalyptus Scent (250ml), Sauna Signage Cedar, and Sauna Guidelines Cedar

codes: 342-D, 449-D, 225-THD, 553-D, 515-D, R-100, ARO-EUCA250, 950-D, and 955-D

code: SET-DRAGON-BL

SET INCLUDES: Dragon Pail 4L Black, Wooden Ladle Dragon Black, Thermo-Hygrometer Square Black, Wooden Sandtimer Black, Wooden Pillow Wave Black, Aroma Cup, Aroma Oil Eucalyptus Scent (250ml), Sauna Signage Black, and Sauna Guidelines Cedar

codes: 342-BL, 449-BL, 225-THBL, 553-BL, 515-BL, R-100, ARO-EUCA250, 950-BL, and 955-D



Pails



Kanto
code: 347-PC | 347-WH | 347-BL
capacity: 4L
option: Pinaceae | White | Black



Lovi
code: 346-PC | 346-WH | 346-BL
capacity: 4L
option: Pinaceae | White | Black



Usva
code: 374-MA | 374-MD
capacity: 5L
option: Aspen | Cedar



Stainless Steel Pail with Curved Handle
code: 373-MA | 373-MD
capacity: 5L
option: Aspen | Cedar



Stainless Steel Pail with Wooden Handle
code: 375-MPC | 375-MA | 375-MD
capacity: 5L
option: Pinaceae | Aspen | Cedar



Wooden Pail Rattan with Stainless Steel Insert
code: 371-MPC | 371-MA | 371-MD
capacity: 5L
option: Pinaceae | Aspen | Cedar



Dragon Pail 4L
code: 342-D | 342-BL
capacity: 4L
option: Cedar | Black



Dragon Pail 9L
code: 300-D | 300-BL
capacity: 9L
option: Cedar | Black



Wooden Pail Traditional
code: 300-TPC | 300-TA | 300-TD
capacity: 9L
option: Pinaceae | Aspen | Cedar



Wooden Pail Rattan
code: 300-HPC | 300-HA | 300-HD
capacity: 9L
option: Pinaceae | Aspen | Cedar



Wooden Pail Classic
code: 340-PC | 340-A | 340-D
capacity: 4L
option: Pinaceae | Aspen | Cedar



Wooden Pail Rattan
code: 341-PC | 341-A | 341-D
capacity: 4L
option: Pinaceae | Aspen | Cedar



Steamwater Pail 4L
code: 342-D-DRF | 342-BL-DRF
capacity: 4L
option: Cedar | Black



Steamwater Pail 9L
code: 300-D-DRF | 300-BL-DRF
capacity: 9L
option: Cedar | Black



Wooden Pail 18L
code: 381-PC | 381-A | 381-D
capacity: 18L
option: Pinaceae | Aspen | Cedar



Wooden Cover for 381 Pail
code: 381-PC-COV | 381-A-COV | 381-D-COV
use: Cover for 381 pail
option: Pinaceae | Aspen | Cedar



Wooden Pail 28L
code: 391-PC | 391-A | 391-D
capacity: 28L
option: Pinaceae | Aspen | Cedar



Wooden Cover for 391 Pail
code: 391-PC-COV | 391-A-COV | 391-D-COV
use: Cover for 391 pail
option: Pinaceae | Aspen | Cedar



Wooden Pail 40L
code: 392-PC | 392-A | 392-D
capacity: 40L
option: Pinaceae | Aspen | Cedar



Wooden Cover for 392 Pail
code: 392-PC-COV | 392-A-COV | 392-D-COV
use: Cover for 392 pail
option: Pinaceae | Aspen | Cedar

Ladles



Wooden Ladle
Standard 36cm

code: 430-PC | 430-A | 430-D
size: 360mm
option: Pinaceae | Aspen | Cedar



Wooden Ladle
Standard 42cm

code: 440-PC | 440-A | 440-D
size: 420mm
option: Pinaceae | Aspen | Cedar



Wooden Ladle
Standard 52cm

code: 443-PC | 443-A | 443-D
size: 520mm
option: Pinaceae | Aspen | Cedar



Wooden Ladle
Standard 68cm

code: 444-PC | 444-A | 444-D
size: 680mm
option: Pinaceae | Aspen | Cedar



Wooden Ladle
Puro 51cm

code: 459-PC | 459-D | 459-BL
size: 510mm
option: Pinaceae | Cedar | Black



Wooden Ladle
Puro 67cm

code: 460-PC | 460-D | 460-BL
size: 670mm
option: Pinaceae | Cedar | Black



Wooden Ladle
Puro 81cm

code: 461-PC | 461-D | 461-BL
size: 810mm
option: Pinaceae | Cedar | Black



Kanto Ladle 52cm

code: 451-MPC | 451-MWH | 451-MBL
size: 520mm
option: Pinaceae | White | Black



Dragon Ladle 50cm

code: 449-D | 449-BL
size: 498mm
option: Cedar | Black




Steamshot Ladle 50cm

code: 449-D-DRF | 449-BL-DRF
size: 498mm
option: Cedar | Black



Stainless Steel Ladle 41cm

code: 441-MPC | 441-MA | 441-MD
size: 410mm
option: Pinaceae | Aspen | Cedar



Stainless Steel Ladle Siro 46.5cm

code: 445-MPC | 445-MA | 445-MD
size: 465mm
option: Pinaceae | Aspen | Cedar



Stainless Steel Ladle Usva 42cm

code: 442-MPC | 442-MA | 442-MD
size: 420mm
option: Pinaceae | Aspen | Cedar



Stainless Steel Ladle
with Curved Handle 45.5cm

code: 453-MA | 453-MD
size: 460mm
option: Aspen | Cedar



Stainless Steel Ladle Siro 70.5cm

code: 446-MPC | 446-MA | 446-MD
size: 705mm
option: Pinaceae | Aspen | Cedar

Clocks



Loisto Wooden
Clock Square

code: 534-D
size: 180 x 180mm
option:
Cedar



Loisto Wooden
Clock Round

code: 535-D
size: Ø180mm
option: Cedar



Wooden Pail
Clock

code: 530-PC | 530-A | 530-D
size: Ø260 x 90mm
option: Pinaceae | Aspen |
Cedar



Wooden Pail
Clock Small

code: 531-PC | 531-A | 531-D
size: Ø230 x 40mm
option: Pinaceae | Aspen |
Cedar



Sandtimers



Sand Timer
15min

code: 553-A | 553-PC | 553-D |
553-BL
size: 65 x 340mm
option: Aspen | Pinaceae |
Cedar | Black



Sand Timer Kanto
15min

code: 554-A | 554-D |
554-BL
size: 65 x 340mm
option: Aspen | Cedar | Black

Sand Timer Tag
15min

code: 550-PC | 550-A |
550-D
size: 65 x 340mm
option: Pinaceae | Aspen |
Cedar



Headrests and Backrests



Wave
Wooden Backrest

code: 506-2-A | 506-2-D |
506-2-BL
size: 390 x 845mm
option: Aspen | Cedar |
Black



Wave
Wooden Headrest

code: 515-A | 515-D |
515-BL
size: 190 x 480mm
option: Aspen | Cedar |
Black



Halu
Wooden Headrest

code: 512-A | 512-D | 512-BL
size: 180 x 230mm
option: Aspen | Cedar | Black



Halu
Anti-theft Headrest

code: 513-A | 513-D
size: 190 x 480mm
option: Aspen | Cedar




Wooden
Backrest

code: 516-PC | 516-A | 516-D
size: 396 x 515mm
option: Pinaceae | Aspen |
Cedar



Wooden
Backrest

code: 514-A | 514-D
size: 346 x 888mm
option: Aspen | Cedar



Doors



Wooden Stripe
Sauna Door

code: 770-4SD-R | 770-4SD-L
Opening size: 610 x 1955mm
Frame size: 700 x 2040mm
option: Cedar



Wooden Stripe
Sauna Door

code: 771-4SD-R | 771-4SD-L
Opening size: 915 x 2030mm
Frame size: 1005 x 2120mm
option: Cedar



Wooden Reversible Sauna Door

code: 773-4SPC | 773-4SA | 773-4SD
Opening size: 915 x 1990mm
Frame size: 1005 x 2075mm
option: Pinaceae | Aspen | Cedar



Wooden Reversible Sauna Door

code: 734-4SPC | 734-4SA | 734-4SD
Opening size: 610 x 1935mm
Frame size: 700 x 2040mm
option: Pinaceae | Aspen | Cedar



Wooden Door with
Clear Glass Window

code: 743-4SCPC-R | L / 743-4SCA-R | L /
743-4SCD-R | L
Opening size: 600 x 1800mm
Frame size: 690 x 1890mm
option: Pinaceae | Aspen | Cedar



Wooden Door with
Bronze Glass Window

code: 743-4SGPC-R | L / 743-4SGA-R | L /
743-4SGD-R | L
Opening size: 600 x 1800mm
Frame size: 690 x 1890mm
option: Pinaceae | Aspen | Cedar



Wooden Sauna Door with Window

code: 736-4SGPC-R | L / 736-4SGA-R | L /
736-4SGD-R | L
Opening size: 915 x 2015mm
Frame size: 1005 x 2120mm
option: Pinaceae | Aspen | Cedar



Wooden Wide Clear Window
Sauna Door

code: 739-3SCPC-R | L / 739-3SCA-R | L / 739-3SCD-R | L
Opening size: 915 x 2035mm
Frame size: 1005 x 2075mm
option: Pinaceae | Aspen | Cedar



Wooden Wide Bronze Window
Sauna Door

code: 739-3SGPC-R | L / 739-3SGA-R | L / 739-3SGD-R | L
Opening size: 915 x 2035mm
Frame size: 1005 x 2075mm
option: Pinaceae | Aspen | Cedar



STEAM ROOM

Phòng xông Hơi Ướt

Phòng xông hơi ướt tạo hơi nước ở nhiệt độ 40-50°C với độ ẩm 100%, giúp mở lỗ chân lông, làm sạch da sâu và hỗ trợ hệ hô hấp hiệu quả.

LỢI ÍCH

- Làm sạch da, mở lỗ chân lông
- Hỗ trợ hệ hô hấp, giảm viêm xoang
- Thư giãn cơ bắp, giảm căng thẳng
- Tăng cường tuần hoàn máu
- Hỗ trợ giảm cân, đào thải độc tố

ĐỐI TƯỢNG PHÙ HỢP

- Người có vấn đề về da, hô hấp
- Spa, trung tâm làm đẹp
- Khách sạn, resort cao cấp
- Gia đình yêu thích chăm sóc sức khỏe

Nhiệt độ: 40-50°C | Độ ẩm: 100%

Thời gian xông: 15-20 phút/lần

Thiết bị: Máy tạo hơi Sawo (Phần Lan)

STEAM


Our steam generators and controls offer the most soothing experience for unwinding.



STN-S

Steam Generator

Built for power and performance, the **STN-S** Extrasteam is just a button away with the steam generator features more flexible demand button feature that can be installation options. It has a separate installed inside or outside of the steam electronics compartment, meaning that room. Error codes appear on the control the generator can be installed in a for quick troubleshooting. Up to five units different location than the electronics. Its can be linked for a maximum of 75,0kW cassette-style heating elements simplify output, all managed from a single SAWO cleaning and maintenance of the tank, control. while aroma, fan, and dimmer controls let you customize every steam session.



2 Heating Elements

- » Power range: 3,0 – 5,0kW
- » Steam output: up to 6,7kg/hr
- » Piping and electrical cables can be installed in either side
- » Own pipe for overpressure valve
- » Auto drain
- » Steam head included
- » Cassette type heating element setup for easy maintenance
- » ¾" steam pipe
- » Stainless steel touch
- » Available controls: STP 2.0 user interface

3 Heating Elements

- » Power range: 4,5 – 7,5kW
- » Steam output: up to 7,5kg/hr
- » Piping and electrical cables can be installed in either side
- » Own pipe for overpressure valve
- » Auto drain
- » Steam head included
- » Cassette type heating element setup for easy maintenance
- » ¾" steam pipe
- » Stainless steel touch
- » Available controls: STP 2.0 user interface

6 Heating Elements

- » Power range: 9,0 – 15,0kW
- » Steam output: up to 20kg/hr
- » Piping and electrical cables can be installed in either side
- » Own pipe for overpressure valve
- » Auto drain
- » 2 Steam heads included
- » Cassette type heating element setup for easy maintenance
- » ¾" steam pipe
- » Stainless steel touch
- » Available controls: STP 2.0 user interface

2 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN MAX (m³)	SIZE OF STEAM GENERATOR LENGTH WIDTH HEIGHT (mm)	WEIGHT	CONTROL
STN-S-30-1/2	3,0	3	185 485 560	17	Stainless Touch STN-S
STN-S-35-1/2	3,5	3,5	185 485 560	17	2.0 Stainless Touch STN-S
STN-S-40-1/2	4,0	4	185 485 560	17	S 2.0 Stainless Touch
STN-S-45-1/2	4,5	2 5	185 485 560	17	STN-S 2.0 Stainless Touch
STN-S-50-1/2	5,0	2 6	185 485 560		STN-S 2.0 Stainless

Touch | STN-S 2.0

3 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN MAX (m³)	SIZE OF STEAM GENERATOR LENGTH WIDTH HEIGHT (mm)	WEIGHT	CONTROL
STN-S-45-3	4,5	2 5	220 485 560	19	Stainless Touch STN-S
STN-S-60-3	6,0	3 10	220 485 560	19	2.0 Stainless Touch STN-S
STN-S-60-C1/3	6,0	3 10	220 485 560	19	S 2.0 Stainless Touch
STN-S-75-3	7,5	4 15	220 485 560	19	STN-S 2.0 Stainless Touch
STN-S-75-C1/3	7,5	4 15	220 485 560		STN-S 2.0 Stainless

Touch | STN-S 2.0

6 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN MAX (m³)	SIZE OF STEAM GENERATOR LENGTH WIDTH HEIGHT (mm)	WEIGHT	CONTROL
STN-S-90-3	9,0	8 20	310 485 560	23	Stainless Touch STN-W
STN-S-90-C1/3	9,0	8 20	310 485 560	23	2.0 Stainless Touch STN-W
STN-S-120-3	12,0	15 28	310 485 560		W 2.0 Stainless Touch
STN-S-150-3	15,0	22 40	310 485 560		STN-W 2.0 Stainless Touch

| STN-W 2.0

STN

Steam Generator

Built for the demands of commercial use, the **STN** steam generator combines durability and performance. Its solid stainless steel construction resists corrosion, while a range of optional features, including aroma, fan, and dimmer controls, allow for a personalized steam experience. An optional demand button releases extra steam for 30 seconds when needed.

Troubleshooting is effortless, with error codes displayed directly on the controller screen. The system can be installed in either left or right orientation and linked in series with up to five units for a maximum output of 75,0kW, all controlled through a single SAWO interface.

! For more technical information, see page 97.



2 Heating Elements

- » Power range: 3,0 – 5,0kW
- » Steam output: up to 6,7kg/hr
- » Can be installed in either side
- » Own pipe for overpressure valve
- » Auto drain
- » Steam head included
- » Cassette type heating element

- » setup for easy maintenance
- » ¾" steam pipe
- » Available controls: STP Classic, STP Classic 2.0 and STP Stainless Steel Touch



3 Heating Elements

- » Power range: 4,5 – 7,5kW
- » Steam output: up to 7,5kg/hr
- » Can be installed in either side
- » Own pipe for overpressure valve
- » Auto drain
- » Steam head included
- » Cassette type heating element

- » setup for easy maintenance
- » ¾" steam pipe
- » Available controls: STP Classic, STP Classic 2.0 and STP Stainless Steel Touch




6 Heating Elements

- » Power range: 9,0 – 15,0kW
- » Steam output: up to 20kg/hr
- » Can be installed in either side
- » Own pipe for overpressure valve
- » Auto drain
- » 2 Steam heads included
- » Cassette type heating element

- » setup for easy maintenance
- » ¾" steam pipe
- » Available controls: STP Classic, STP Classic 2.0 and STP Stainless Steel Touch

Technical DATA



STN-W Steam Generator

2 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN (m³)	STEAM ROOM MAX (m³)	SIZE OF STEAM GENERATOR LENGTH (mm)	SIZE OF STEAM GENERATOR WIDTH (mm)	SIZE OF STEAM GENERATOR HEIGHT (mm)	WEIGHT (kg)	CONTROL
STN-W-30-1/2	3,0		3	245	485	560	17	Stainless Touch STN-W
STN-W-35-1/2	3,5		3,5	245	485	560	17	2.0 Stainless Touch STN-
STN-W-40-1/2	4,0		4	245	485	560	17	W 2.0 Stainless Touch
STN-W-45-1/2	4,5	2	5	245	485	560	17	STN-W 2.0 Stainless Touch
STN-W-50-1/2	5,0	2	6	245	485	560	17	STN-W 2.0 Stainless

Touch | STN-W 2.0

3 Heating Elements


STEAM GENERATOR MODEL	kW	STEAM ROOM MIN (m³)	STEAM ROOM MAX (m³)	SIZE OF STEAM GENERATOR LENGTH (mm)	SIZE OF STEAM GENERATOR WIDTH (mm)	SIZE OF STEAM GENERATOR HEIGHT (mm)	WEIGHT (kg)	CONTROL
STN-W-45-3	4,5	2	5	280	485	560	19	Stainless Touch STN-W
STN-W-45-C1/3	4,5	2	5	280	485	560	19	2.0 Stainless Touch STN-
STN-W-60-3	6,0	3	10	280	485	560	19	W 2.0 Stainless Touch
STN-W-60-C1/3	6,0	3	10	280	485	560	19	STN-W 2.0 Stainless Touch
STN-W-75-3	7,5	4	15	280	485	560	19	STN-W 2.0 Stainless
STN-W-75-C1/3	7,5	4	15	280	485	560	19	Touch STN-W 2.0

Stainless Touch | STN-W 2.0

6 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN (m³)	STEAM ROOM MAX (m³)	SIZE OF STEAM GENERATOR LENGTH (mm)	SIZE OF STEAM GENERATOR WIDTH (mm)	SIZE OF STEAM GENERATOR HEIGHT (mm)	WEIGHT (kg)	CONTROL
STN-W-90-3	9,0	8	20	375	485	560	23	Stainless Touch STN-W
STN-W-90-C1/3	9,0	8	20	375	485	560	23	2.0 Stainless Touch STN-
STN-W-120-3	12,0	15	28	375	485	560	23	W 2.0 Stainless Touch
STN-W-150-3	15,0	22	40	375	485	560	23	STN-W 2.0 Stainless Touch

| STN-W 2.0



STN Steam Generator

2 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN (m³)	STEAM ROOM MAX (m³)	SIZE OF STEAM GENERATOR LENGTH (mm)	SIZE OF STEAM GENERATOR WIDTH (mm)	SIZE OF STEAM GENERATOR HEIGHT (mm)	WEIGHT (kg)	CONTROL
STN-30-1/2	3,0		3	185	485	560	17	Touch Classic Classic
STN-35-1/2	3,5		3,5	185	485	560	17	2.0 Touch Classic
STN-40-1/2	4,0		4	185	485	560	17	Classic 2.0 Touch Classic
STN-45-1/2	4,5	2	5	185	485	560	17	Classic 2.0 Touch
STN-50-1/2	5,0	2	6	185	485	560	17	Classic Classic 2.0 Touch

| Classic | Classic 2.0

3 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN (m³)	STEAM ROOM MAX (m³)	SIZE OF STEAM GENERATOR LENGTH (mm)	SIZE OF STEAM GENERATOR WIDTH (mm)	SIZE OF STEAM GENERATOR HEIGHT (mm)	WEIGHT (kg)	CONTROL
STN-45-3	4,5	2	5	220	485	560	19	Touch Classic Classic
STN-45-C1/3	4,5	2	5	220	485	560	19	2.0 Touch Classic
STN-60-3	6,0	3	10	220	485	560	19	Classic 2.0 Touch Classic
STN-60-C1/3	6,0	3	10	220	485	560	19	Classic 2.0 Touch
STN-75-3	7,5	4	15	220	485	560	19	Classic Classic 2.0 Touch
STN-75-C1/3	7,5	4	15	220	485	560	19	Classic Classic 2.0

Touch | Classic | Classic 2.0

6 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM MIN (m³)	STEAM ROOM MAX (m³)	SIZE OF STEAM GENERATOR LENGTH (mm)	SIZE OF STEAM GENERATOR WIDTH (mm)	SIZE OF STEAM GENERATOR HEIGHT (mm)	WEIGHT (kg)	CONTROL
STN-90-3	9,0	8	20	310	485	560	23	Touch Classic Classic
STN-90-C1/3	9,0	8	20	310	485	560	23	2.0 Touch Classic
STN-120-3	12,0	15	28	310	485	560	23	Classic 2.0 Touch Classic
STN-150-3	15,0	22	40	310	485	560	23	Classic 2.0 Touch

Classic | Classic 2.0

INCLUDED IN THE PACKAGE



Electronics Compartment
(Included for STN-S models only)



Autodrain
(Included for STN-S, STN-W, and STN models)



Aroma, Fan and Dimmer Functions
(Optional features for STN models)



Temperature sensor with
wire and sensor holder



Steam Head
(for 9kW models and up,
two heads are included)



7,5m RJ12 Cable
7,5m RJ10 Cable

STE

Steam Generator

Reliable and effortless to use, the **STE** steam generator is designed for residential environments. It is also simple to operate; just switch on the control and adjust the temperature knob. The stainless-steel construction ensures long-lasting durability and resistance to corrosion.

The STE can be oriented for connections on either side for easy installation in any layout. For greater power capacity, up to five units can be linked in series to deliver a maximum output of 75,0kW, all managed from a single SAWO control.

! For more technical information, see page 99.



2 Heating Elements

- » Power range: 3,0 - 5,0kW
- » Steam output: up to 6,7kg/hr
- » Can be installed in either side
- » Own pipe for overpressure valve
- » Steam head included
- » Available controls: STE 2.0



3 Heating Elements


- » Power range: 4,5 - 7,5kW
- » Steam output: up to 7,5kg/hr
- » Can be installed in either side
- » Own pipe for overpressure valve
- » Steam head included
- » Available controls: STE 2.0



6 Heating Elements

- » Power range: 9,0 - 15,0kW
- » Steam output: up to 20kg/hr
- » Can be installed in either side
- » Own pipe for overpressure valve
- » 2 Steam heads included
- » Available controls: STE 2.0

Technical DATA



STE Steam Generator

2 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM		SIZE OF STEAM GENERATOR			WEIGHT 16,5	CONTROL
		MIN	MAX	LENGTH	WIDTH	HEIGHT		
STE-30-1/2	3,0		3	205	465	555	16,5	STE Basic Advance
STE-35-1/2	3,5		3,5	205	465	555	16,5	STE Basic Advance
STE-40-1/2	4,0		4	205	465	555	16,5	STE Basic Advance
STE-45-1/2	4,5	2	5	205	465	555	16,5	STE Basic Advance
STE-50-1/2	5,0	2	6	205	465	555		STE Basic Advance

3 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM		SIZE OF STEAM GENERATOR			WEIGHT (kg)	CONTROL
		MIN	MAX	LENGTH	WIDTH	HEIGHT		
STE-45-C1/3	4,5	2	5	250	370	555	18	STE Basic Advance
STE-60-C1/3	6,0	3	10	250	370	555	18	STE Basic Advance
STE-75-C1/3	7,5	4	15	250	370	555		STE Basic Advance

6 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM		SIZE OF STEAM GENERATOR			WEIGHT (kg)	CONTROL
		MIN	MAX	LENGTH	WIDTH	HEIGHT		
STE-90-C1/3	9,0	8	20	335	465	555	23	STE Basic Advance
STE-120-3	12,0	15	28	335	465	555		STE Basic Advance
STE-150-3	15,0	22	40	335	465	555		STE Basic Advance

INCLUDED IN THE PACKAGE



Temperature sensor with wire and sensor holder



Steam Head
(for 9kW models and up,
two heads are included)



7,5m RJ12 Cable
7,5m RJ10 Cable

Steam Generator Series Connection




Classic 2.0



Stainless Steel
Touch

Steam Generator
Control



Steam Generator

Controls



Steam 2.0 (STP-INFACE-V2)

- » Thick stainless steel casing
- » LED digital display
- » Scent pump, light dimmer and fan
- » 7,5 meters RJ12 cable with connectors included



Steam Stainless Steel Touch (STP-INFACE-SST)

- » Thick stainless steel casing
- » Animated buttons
- » Compatible for automated household component
- » Emergency alarm provision
- » Standby mode to keep water warm until next session
- » Displays error code
- » Autodrain function
- » Key lock
- » Easy mode available
- » Date and time setup
- » Kilowatt usage counter
- » Decalcifying function
- » Heating Element fail detect
- » Blackout memory
- » Celsius or Fahrenheit temperature unit
- » Autolight
- » Autofan
- » LCD contrast adjustment
- » Scent pump, light dimmer and fan
- » Temperature sensor with wire
- » Optional interface holder
- » 7,5 meters RJ12 cable with connectors included



Steam STE (STE-INFACE-V2)

- » Thick stainless steel casing
- » LED digital display
- » 7,5 meters RJ12 cable with connectors included



INFRARED SAUNA

Xông Hơi Hồng Ngoại

Sauna hồng ngoại sử dụng tia hồng ngoại xa (Far Infrared) xuyên sâu vào cơ thể 3-4cm, tạo nhiệt từ bên trong mà không làm nóng không khí xung quanh. Nhiệt độ chỉ 45-65°C nhưng hiệu quả thải độc gấp 7 lần sauna truyền thống.

LỢI ÍCH

- Thải độc kim loại nặng hiệu quả
- Giảm đau nhức cơ xương khớp
- Hỗ trợ giảm cân, đốt 300-600 calo/lần
- Cải thiện làn da, chống lão hóa
- Phù hợp người không chịu được nhiệt cao

ĐỐI TƯỢNG PHÙ HỢP

- Người lớn tuổi, sức khỏe yếu
- Người có vấn đề về khớp, cơ
- Gia đình muốn giải pháp nhẹ nhàng
- Căn hộ có diện tích hạn chế

Nhiệt độ: 45-65°C | Độ ẩm: Thấp

Thời gian xông: 30-45 phút/lần

Công nghệ: Tia hồng ngoại xa (Far Infrared)

CAM KẾT & LIÊN HỆ

Đồng hành cùng bạn trọn vẹn

Bảo Hành | Hậu Mãi | Hỗ Trợ 24/7